



TECHNICAL-COMMERCIAL PRODUCT SHEET

Description

PULMIC INDUSTRIAL 35

Ref. 16863

Definition:

Electric sprayer for applying industrial products (disinfection, vector control, and cleaning) with a quick-connect nozzle system.

Tariff item: 84244100



Product photo



Sistema de autolimpieza de bomba mediante circuito independiente.

Permite hacer el mantenimiento interno sin vaciar el depósito principal.











INCLUDES











EC Declaration

3-year manufacturing warranty

Product specs				
	Filters	1 in the filler neck, 1 in the handle and 1 absorption at the bottom of the tank $$		
Tank .	Color	Black and white		
	Material	Polypropylene		
	Filling mouth diameter	13 cm		
	Capacity	35 L		
	Carrying handle	Yes, foldable		
	Compression and drive system	Electric by diaphragm pump/DC motor with brushes		
Pump .	Caudal	See table according to nozzles (page 3)		
	Pressure	See table according to nozzles (page 3)		
	Cleaning valve	2 positions: spraying and cleaning the circuit		
Control unit	3-speed system			
Membrane	From Santoprene			
	Material	PVC with reinforcing mesh		
Hose	Length	6 m		
	Material	Polypropylene / Viton		
Handle	Length	15 cm		
	Material	Stainless steel		
Lance	Length	42.5 cm		
	Adjustable industrial nozzle			
Nozzloo	Red industrial nozzle 0°			
Nozzles	Green industrial nozzle 25°			
	White industrial nozzle 40°			
	Battery 2 units			
	Lithium-ion LiCoO2 18V 2600mAh			
Battery/Charger	01 /5	Input: 100/240V, 50/60 Hz, 0.5A		
	Charger (European connector)	Output: 21V DC 1A		
	Temperature range	5-40 °C		
	Gross weight	0.385 kg		
	Net weight	0.410 kg		
	Autonomy	See table according to nozzles (page 3)		
Auto-clean system	Yes, with a dedicated flushing line			
Attached documentation	Instruction manual			







EC Declaration

3-year manufacturing warranty

Nozzles

Boquilla Nozzle Buse Bico Ugello Dysza Сопло فوهة	Î.	Velocidad Speed Vitesse Velocidade Velocità Prędkość Скорость	Pres Pres Pres Pres: Ciśn Давл	sión sure sion ssão sione ienie ение ение ф	Ángulo Angle Angle Ángulo Angolo Kąt Угол زاویة	FI Dé Flu Flu Prze No	udal ow sbit uxo sso pływ pływ تون غين	Capacity Capacité Capacida Capacité pojemnos Емкость/аі	nd/batería //battery //batterie de/bateria //batteria ść/baterię ккумулятор / шей	Autonomía total Total autonomy Autonomie totale Autonomia total Autonomia totale Całkowita autonomia Полная автономия الحكم الذاتي الكامل min.
		_	Бар	Пси	0.50	л/мин	гал/мин	Л	гал	Мин.
	-	1	2,5	36	25°	1,95	0,51	351	91	180
	A	2	3,5	51	25°	2,20	0,58	248	65	113
	(iii)	3	4,5	65	25°	2,60	0,68	234	61	90
		1	4,5	65	0°	1,50	0,39	192	49	128
		2	6,5	94	0°	1,85	0,48	166	43	90
		3	7	102	0°	2,00	0,52	166	43	83
		1	2,35	34	max. 70°	2,00	0,52	360	93	180
		2	3,4	49	max. 70°	2,55	0,67	288	75	113
		3	3,6	52	max. 70°	2,65	0,70	238	63	90
		1	2,5	36	40°	1,95	0,51	351	91	180
		2	3,5	51	40°	2,20	0,58	248	65	113
		3	4,5	65	40°	2,60	0,68	234	61	90







EC Declaration

3-year manufacturing warranty

Chemical compatibility



PRINCIPIO ACTIVO	COMPUESTO ACTIVO	INDUSTRIAL 15
ACTIVE PRINCIPLE Matière principale	ACTIVE COMPOUND Matière active	INDUSTRIAL 35
	ÁCIDO ACÉTICO / ACETIC ACID / ACIDE ACÉTIQUE (MAX 20%)	×
	ÁCIDO CLORHÍDRICO / HYDROCHLORIC ACID / ACIDE CHLORHYDRIQUE (MAX 30%)	×
	ÁCIDO FLUORHÍDRICO / HYDROFLUORIC ACID / ACIDE FLUORHYDRIQUE (MAX 20%)	×
ÁCIDOS	ÁCIDO FOSFÓRICO / PHOSPHORIC ACID / ACIDE PHOSPHORIQUE	×
ACIDS Acides	ÁCIDO NÍTRICO / NITRIC ACID / ACIDE NITRIQUE (MAX 20%)	×
	ÁCIDO SULFÚRICO / SULPHURIC ACID / ACIDE SULFURIQUE (MAX 30%)	×
	BISULFITO SÓDICO / SODIUM BISULPHATE / ACIDE SODIQUE (MAX 20%)	×
	ÁCIDO OXÁLICO / OXALIC ACID / ACIDE OXALIQUE	×
	BUTANOL / BUTANOL / BUTANOL	_
ALCOHOLS ALCOHOLS	ETANOL / ETHANOL	_
Alcools	METANOL / METHANOL / MÉTANOL	<u> </u>
HIDROCARBUROS	DECANO / DECANE / DÉCANE	A
ALIFÁTICOS	HEPTANO / HEPTANE / HEPTANE	
ALIPHATIC HYDROCARBONS	HEXANO / HEXANE / HEXANE	
Hydrocarbures aliphatiques	PENTANO / PENTANE / PENTANE	_
HIDROCARBUROS AROMÁTICOS	LIMONENO (DIPTENO) / LIMONENE (DIPTENE) / LIMONÈNE	A
AROMATIC	NAFTALENO / NAPHTHALENE / NAPHTALÈNE	_
HYDROCARBONS Hydrocarbures	TOLUENO / TOLUENE / TOLUÈNE (MAX 40%)	_
aromatiques	XILENO / XYLENE / XYLÈNE	_
ACEITES Y DERIVADOS	ACEITE MINERAL-VEGETAL / MINERAL-VEGETAL OIL / HUILE MINÉRALE-VÉGÉTALE	
PETRÓLEO	GASOIL / DIESEL / GASOIL	- J
OILS & PETROLEUM PRODUCTS	GASOLINA / GASOLINE / ESSENCE	- J
Huiles et Dérivés Pétrole	QUEROSENO / KEROSENE / KÉROSÈNE	V
		**
ALCALINOS Y	ACETONA / ACETONE / ACÉTONE	×
CETONAS	AMONIACO / AMMONIA / AMMONIAQUE	A
ALKALINES & KETONES	HIDRÓXIDO DE SODIO / SODIUM HYDROXIDE / HYDROXYDE DE SODIUM	×
Alcalins et Cétones	HIDROXIDO DE POTASIO/ POTASSIUM HYDROXIDE / HYDROXYDE DE POTASSIUM	×
	HIPLOCLORITO DE SODIO / SODIUM HYPOCHLORITE / HYPOCHLORITE DE SODIUM	<u> </u>













EC Declaration

3-year manufacturing warranty

Compatible accessories

Ref. 9103

Lanza telescópica 5 m - 14,4

Telescopic lance / Lance telescopique



Ref. 19097

1 u / pack

Kit boquillas conexión rápida

Quick-connect nozzle Buse à connexion rapide







Ref. 19095

Adaptador regulable 180°/ QUICK-CONNECT

180° Adjustable Adapter / 5 positions Adaptateur orientable à 180°/ 5 positions

Copatible con / Compatible with / Compatible avec: Lanza de 5 m / 5 m lance/ Lance de 5 m INDUSTRIAL 15 / INDUSTRIAL 35







Ref. 19098

Adaptador boquillas QUICK-CONNECT

350€



Copatible con / Compatible with / Compatible avec:

Ref. 19095

Adaptador regulable 180° 180° adjustable adapter Adaptateur orientable à 180°

Ref. 9103

Lanza de 5 m Lance de 5 m

Ref. 19197

Kit boquillas conexión rápida Quick-connect nozzle kit Buse à connexion rapide kit

Ref. 13943

Batería 18 V

Battery / Batterie

Compatible con /with / avec: Pulmic Pegasus 15 / 35 Pulmic Industrial 15 / 35 Pulmic Animal Power 15





Ref. 13980 Cargador Charger / Chargeur

Ref. 17024

Manguera de 10 m

10 m hose / Tuyau de 10 m









EC Declaration

3-year manufacturing warranty



Packaging and dimensions	
Gross Unit Weight	12.66kg
Net unit weight	10.49 kg
Packaging unit	1
Unit packaging dimensions	46.5 x 36 x 78.5 cm
Units in the secondary box	Not applicable
Secondary box dimensions	Not applicable

Logistics data			
Packaging units per m3	7	Units per pallet (American)	15 units
Units per 20" container	210 units	Units per pallet (European)	10 units
40" container units	420 units	_	
40" HQ container units	490 units	_	



Product commercial video

